



Hardware Catalogue 2022

wholesale@vapeys.co.nz



BEEDF PRO VAPE KIT

Closed Pod Kit

Specifications

- Intelligent puff activated draw
- Ergonomic design for comfort and style
- Leading ceramic MicroFeel™ heating technology smooth vaping experience.
- Aluminium alloy body for durability,
- Type-C USB to support super fast charging





for a

BEEDF



*Available in 5 shades

BEEDF® PRO PODS

Closed Pods - 10 Flavors; 3 %











Cola

Watermelon Ice

Grape Ice

Blueberry Ice

Lychee













Cool Mint Peach
Blueberry Ice

DRY HERB VAPORIZER

VAPE



FLOWERMATE V5 NANO

Features

Key features include those found throughout the V5 series such as a glass mouthpiece that can be disassembled and tucked into the actual device for easy storage and less smell, large chamber for single or group sessions, and fully isolated air path to ensure a clean and pure taste of the material being consumed

- External 18650 battery
- 30 second heat up time
- Discreet and easy to conceal

Related Products





Nano v5 Mouthpiece Nano v5 Capsules







Stainless
Chamber Screen

*Available in 3 shades



FLOWERMATE AURA



Features

The Aura is an ultra-portable pen style vaporizer designed for both dry materials and liquids. The digital display increases precision and allows the user to tune in to the exact temperature performance. The Aura is efficient and has an exceptional battery life; truly a gem from the Flowermate line.

- 100% Pure Vapour No chance of combustion
- 7 Heat jets to ensure maximum extraction and airflow
- 2 Hours of use per charge
- Compact Pen Design; 6" Tall
- Heats in less than a minute
- Digital display with single digit heat range 104°F-446°F (40°C-230°C)



FLOWERMATE CapPRO



Features

CapPRO by Flowermate is a sleek and stylish dry herb vaporizer. Featuring a massive 2000 mAh battery life and a high-resolution OLED display, the CapPRO is designed with the modern user in mind.

- Glazed Stainless Steel Heating Chamber
- Zirconia Mouthpiece Path
- Heat Up In 30 Seconds
- Full Temperature Control
- Stealthy Size
- Haptic Feedback
- Matted Finish Aluminum Body



WIX OIL VAPORIZER



Features

Wix features an all borosilicate heating chamber that delivers smooth hits with ultracrisp flavor. Includes black ceramic mouthpiece that allows easy and comfortable puffs.

- Zirconia Mouthpiece
- Pure Ceramic Heating Coil
- Replaceable Atomizer
- 3 Pre-setting Temperature
- 10 seconds Pre-heating
- Compliant 510 Threading
- Type-C charging



5G HERBVA



*Available in 2 shades

Features

The tiniest portable vaporizer! The Airistech 5G Herbva is for dry herbs, and for the best experience, you will need a grinder to make sure the herb is finely ground before use.

- Tiny, pocket-sized unit
- Set temperatures: Green 390F (low), Blue 405F (mid), White 420F (high)
- Fast heating in under a minute
- 6 MONTH WARRANTY

COOKIES METAL GRINDER



Features

The perfect pocket-sized grinder for on the go.


Strong magnetic closure.

Diamond teeth for smooth grinding.

D: 40mm H: 22mm

W: 50g

*Available in 4 shades





Flexus Q

Related Products

Replacement Cartridge



Replacement Coils



Available in 0.60hm & 1.00hm



- Specifications
- Adjustable airflow
- 700mAh Internal battery
- 3-Level Power adjustment
- Aspire ASP Chipset and safety protections
- Dual activation vaping
 - *Available in 5 shades



CALIBURN A2



Specifications

- Power and range: 520mAh/15W
- Capacity: 2mL
- Modes: switch between button activation and inhale activation modes.
- Safety: Short-circuit protection

Related Products

Replacement Cartridge



Compatible with Caliburn A2 & AK2

Available in 0.90hm

*Available in 6 shades



Caliburn AK2







Specifications

- Bracelet included free your hands
- Internal 520mah battery
- Type-C USB charging
- E-liquid check window, prevent coil burning
- Draw-activated firing mechanism

Replacement Pods



Compatible with Caliburn A2 & AK2

Available in 0.9ohm

*Available in 6 shades



KOKO Prime



Specifications

- Power and range: 18W, 690mAh.
- Charging: USB-C.
- Size and weight: 68mm x 16mm x 45.6mm., 48g.
- Material: Aluminum alloy, PTGC.

Related Products

Replacement Cartridge
Compatible with Caliburn G, Koko Prime



Replacement Coils
Compatible with Caliburn G, Koko Prime



Available in 0.80hm & 1.00hm



Caliburn G

Related Products

Replacement Pods Compatible with Caliburn G, Koko Prime



*Caliburn G Empty Cartridge

Replacement Coils
Compatible with Caliburn G, Koko Prime



Available in 0.80hm & 1.00hm



Specifications

- Power and range: 18W, 690mAh.
- Charging: USB-C.
- Size and weight: 108.3mm x 22.5mm x 12.6mm., 60g.
- Material: Aluminum alloy, PTGC.

SMOK

NOVO 3



Specifications

• Size: 88.3 X 24.5 X 14.5mm

Capacity: 1.7mlBattery: 800mah

• Resistance: 1.0ohm

Replacement Pods



Available in 1.0ohm & 1.4ohm

SMOK

NOVO 2



Specifications

- Power and range: 25W, 800mAh.
- Charging: Micro USB.
- Size and weight: 88mm x 24.5mm x 14.5mm., 15g.
- Material: Zinc Alloy.

*Available in 19 shades

Replacement Pods



Available in 1.0ohm & 1.4ohm



NOVO X



Specifications

- Power and range: 25W, 800mAh.
- Charging: Micro USB.
- Size and weight: 92mm x 26.5mm x 16.5mm., 50.2g.
- Material: Zinc alloy.

*Available in 8 shades

Replacement Pods



Available in DC 0.8ohm & Mesh 0.8ohm



PRANCER



Specifications

- Power and range: 30W, 950mAh.
- Charging: USB-C.
- Size and weight: 65mm x 48mm x 13mm., 40g.
- Material: Aluminium alloy.

*Available in 4 shades

Replacement Pods



Available in 1.0ohm/3 Pcs



Pebble AIO



Specifications

• Dimensions: 76 x 52.05 x 19mm

• Weight: 36g

• Body material: high quality plastic

• Power: built-in 900mAh

*Available in 6 shades

Related Products

Replacement Cartridge (Empty pods)



Replacement Coils



Available in 0.8 ohm

XROS 2



Specifications

- Dimensions 112mm by 23mm by 13mm
- Integrated 1000mAh Rechargeable Battery
- Wattage Output Range: 11-16W
- Aluminum Alloy Chassis Construction
- Intuitive Firing Button
- Draw-Activated Firing Mechanism
- Adjustable Airflow Control Switch

*Available in 4 shades

Replacement Pods



Available in 0.8ohm mesh & 1.2ohm mesh/2Pc

XROS mini



Specifications

- Dimensions: 98.9 x 23.4 x 13.5 mm
- Cartridge Capacity: 2ml
- Cartridge Resistance: 1.2ohm Mesh POD & 0.8ohm Mesh POD (compatible)
- Battery Capacity: 1000mAh
- Battery Output Power: 11W/16W
- Charging: Type-C, 5V/1A

*Available in 6 shades

Replacement Pods



Available in 0.8ohm mesh & 1.2ohm mesh / 2P

XROS



Specifications

- Power and range: 16W, 800mAh.
- Charging: USB-C.
- Size and weight: 112mm x 23mm x 13mm., 54g.
- Material: Aluminium alloy.

Replacement Pods



Available in 0.80hm mesh & 1.20hm mesh/ 2Pc

ZERO 2



Specifications

- Classic CCELL Pod, upgraded mesh pod
- PTF filling system
- Compatible with Zero & Zeros 2 Pod
- SSS Leak-Resistant Technology

Replacement Pods



Available in 0.8ohm mesh/2Pc

*Available in 13 shades

PODMOD KIT

NORD 2



Specifications

- Power and range: 40W, 1500mAh.
- Charging: Micro USB.
- Size and weight: 95mm x 30.5mm x 20mm., 79g.
- Material: Zinc alloy.

SMOK Nord Coils



Available In

- SMOK Nord MTL Coil 0.8ohm 5PCS/Pack
- SMOK Nord Mesh Coil 0.60hm 5PCS/Pack
- SMOK Nord Regular Coil 1.4ohm 5PCS/Pack

Coil Compatible in Nord, Nord 2, Nord X

SMOK

NORD X

Specifications

- Power and range: 60W, 1500mAh.
- Charging: USB-C.
- Size and weight: 100mm x 31mm x 23mm., 96g.
- Material: Zinc alloy.

SMOK Nord Coils



Available In

- SMOK Nord MTL Coil 0.8ohm 5PCS/Pack
- SMOK Nord Mesh Coil 0.60hm 5PCS/Pack
- SMOK Nord Regular Coil 1.4ohm 5PCS/Pack

Coil Compatible in Nord, Nord 2, Nord X

*Available in 9 shades



RPM COILS



Coil Compatible in RPM Pods

Available In

- SMOK RPM Coil 0.8ohm (DC,MTL) 5PCS/Pack
- SMOK RPM Coil 0.3ohm (Mesh) 5PCS/Pack
- SMOK RPM lohm (SC) 5PCS/Pack
- SMOK RPM Coil 0.6ohm (Triple) 5PCS/Pack
- SMOK RPM Coil 0.4ohm (Mesh) 5PCS/Pack

PM40



Specifications

- 1800 mAh Battery Capacity
- Type-C 5V/2A Charging
- Output Wattage 5-40W
- Adjustable airflow similar to Xros

*Available in 7 shades

GTX Coils



Available In

- GTX REPLACEMENT COILS 0.6 Ohm
- GTX REPLACEMENT COILS 0.8 Ohm

Luxe PM40 Starter Kit - compatible with only the 0.6 and 0.8 ohm coils.

GTX COILS











Coil Compatibility

- Target PM80 and PM80 SE Pod Mods compatible with ALL GTX Coils
- Target PM30 Pod Starter Kit compatible with GTX coils at or above 0.6ohm
- Xiron Pod Mod compatible with GTX 0.3ohm and GTX 0.8ohm coils.
- Gen Nano Starter Kit and GTX Tank 22 compatible with ALL GTX Coils
- GTX One Starter Kit and GTX Tank 18 compatible with GTX 1.2ohm Regular and GTX 1.2ohm Mesh only.
- Luxe PM40 Starter Kit compatible with only the 0.6 and 0.8 ohm coils.
- Swag PX80 Starter Kit we suggest the 0.2 or 0.3ohm Mesh GTX coils.



DRAGS

Specifications

- Power and range: 60W, 2600mAh.
- Charging: USB-C.
- Size and weight: 87mm x 33mm x 28mm., 150g.
- Material: Alloy and leather

*Available in 15 shades

Related PRoducts

PNP Pod
Coil Compatible with all PNP Coils



PNP Coil



Available In VOOPOO PnP-VM5 Coil 0.20hm 5PCS/Pack VOOPOO PnP-VM6 Coil 0.150hm 5PCS/Pack



DRAG X



Specifications

- Power and range: 80W, Single 18650 Battery.
- Charging: USB-C.
- Size and weight: 95mm x 32.5mm x 28mm., 165g.
- Material: Alloy and leather.

*Available in 7 shades

Related PRoducts

PNP Pod
Coil Compatible with all PNP Coils



PNP Coil



Available In VOOPOO PnP-VM5 Coil 0.20hm 5PCS/Pack VOOPOO PnP-VM6 Coil 0.150hm 5PCS/Pack



TPP COILS

Coil Compatible in Drag X Plus



Available in TPP-DM1 0.15ohm, TPP-DM2 0.2ohm mesh

PNP Coils

Coil Compatible in Drag S, Drag X



- VOOPOO PnP-TM2 Coil 0.8ohm (Mesh) 5PCS/Pack
- VOOPOO Pnp-R1 Coil 0.8ohm 5PCS/Pack
- VOOPOO Pnp-C1 Coil 1.20hm 5PCS/Pack
- VOOPOO Pnp-M2 Coil 0.60hm 5PCS/Pack
- VOOPOO PnP-VM5 Coil 0.2ohm 5PCS/Pack
- VOOPOO PnP-VM6 Coil 0.15ohm 5PCS/Pack
- VOOPOO PnP-VM4 Coil Silver 0.6ohm 5PCS/Pack
- VOOPOO PnP-VM3 Coil 0.45ohm 5PCS/Pack
- VOOPOO PnP-VM1 Coil 0.3ohm (Mesh) 5PCS/Pack

VCOPCO

SMOK

VAPORESSO®











9₁ppro

www.vapeys.co.nz

wholesale@vapeys.co.nz